

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	((end or ends or ended or finish or finishes or finished or terminate or terminates or terminated or termination) near3 (read near3 (transaction or transactions))) burst ((configure or configured or configuring or configures) near4 (memory near controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/15 19:35
L2	2	((end or ends or ended or finish or finishes or finished or terminate or terminates or terminated or termination) near3 (read near3 (transaction or transactions))) burst ((configure or configured or configuring or configures) near4 (memory near controller)) code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/15 19:35
S2	17	mismatched same burst same (length or lengths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/09 09:20
S6	198	(memory near4 integrated near4 (circuit or circuits)) (memory near6 (bank or banks)) ((row or rows) near6 address near6 (decoder or decoders)) ((select or selection) near6 (circuit or logic)) (control near3 logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/09 09:45
S8	30	(memory near4 integrated near4 (circuit or circuits)) (memory near6 (bank or banks)) ((row or rows) near6 address near6 (decoder or decoders)) ((select or selection) near6 (circuit or logic)) (control near3 logic) ((control or controller) near5 logic near5 (state or states)) buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/09 09:48
S10	14	(memory near4 integrated near4 (circuit or circuits)) (memory near6 (bank or banks)) ((row or rows) near6 address near6 (decoder or decoders)) ((select or selection) near6 (circuit or logic)) (control near3 logic) ((control or controller) near5 logic near5 (state or states)) buffer ((reads or reading or read) near5 (row or rows))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/09 10:09

S11	30	(memory near4 integrated near4 (circuit or circuits)) (memory near6 (bank or banks)) ((row or rows) near6 address near6 (decoder or decoders)) ((select or selection) near6 (circuit or logic)) (control near3 logic) ((control or controller) near5 logic near5 (state or states)) buffer ((reads or reading or read) same (row or rows))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/09 10:21
S12	18	(memory near4 integrated near4 (circuit or circuits)) (memory near6 (bank or banks)) ((row or rows) near6 address near6 (decoder or decoders)) ((select or selection) near6 (circuit or logic)) (control near3 logic) ((control or controller) near5 logic near5 (state or states)) buffer ((reads or reading or read) same (row or rows)) burst	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/09 11:40
S13	12	(memory near4 integrated near4 (circuit or circuits)) (memory near6 (bank or banks)) ((row or rows) near6 address near6 (decoder or decoders)) ((select or selection) near6 (circuit or logic)) (control near3 logic) ((control or controller) near5 logic near5 (state or states)) buffer ((reads or reading or read) same (row or rows)) burst (memory near4 bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/09 11:42
S14	18	(memory near4 integrated near4 (circuit or circuits)) (memory near6 (bank or banks)) ((row or rows) near6 address near6 (decoder or decoders)) ((select or selection) near6 (circuit or logic)) (control near3 logic) ((control or controller) near5 logic near5 (state or states)) buffer ((reads or reading or read) same (row or rows)) burst (bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/09 15:23
S16	18	(memory near4 integrated near4 (circuit or circuits)) (memory near6 (bank or banks)) ((row or rows) near6 address near6 (decoder or decoders)) ((select or selection) near6 (circuit or logic)) (control near3 logic) ((control or controller) near5 logic near5 (state or states)) buffer ((reads or reading or read) same (row or rows)) burst (bus) row	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/10 11:29

S17	12	(memory near4 integrated near4 (circuit or circuits)) (memory near6 (bank or banks)) ((row or rows) near6 address near6 (decoder or decoders)) ((select or selection) near6 (circuit or logic)) (control near3 logic) ((control or controller) near5 logic near5 (state or states)) buffer ((reads or reading or read) same (row or rows)) burst (bus) row cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/09 16:46
S29	21	((control or controlling) near4 (store or stores or stored or storage or storing)) same (size near5 cache near3 (line or lines))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/10 12:24
S33	5	((number or quantity or amount) near3 (byte or bytes)) same (read near3 first) same (data near3 transfer) same (read near3 second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/10 13:38
S34	9	((end or ends or ended or finish or finishes or finished or terminate or terminates or terminated or termination) near3 (read near3 (transaction or transactions))) same (burst near3 (end or ends or ended or finish or finishes or finished or terminate or terminates or terminated or termination))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/10 13:43
S36	69	((end or ends or ended or finish or finishes or finished or terminate or terminates or terminated or termination) near3 (read near3 (transaction or transactions))) burst	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/15 19:32
S39	33	((early) near5 (end or ends or ended or finish or finishes or finished or terminate or terminates or terminated or termination) near3 (read))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/10 13:45